

a guide for clinicians

Working safely and inclusively with sexuality diverse young people

This resource has been developed for clinicians to summarise the latest evidence related to:

- **sexuality diversity**
- **risk and protective factors that can influence the mental health of sexuality diverse young people**
- **sexuality diverse young peoples' experiences of seeking support for mental health issues.**
- **It is designed to support clinicians to work with young people in a way that is safe and inclusive by considering:**
 - **how to ensure inclusion for sexuality diverse young people at a service- and clinical-level (i.e. one-on-one)**
 - **further resources to support practice in this area.**

What is sexuality diversity?

'Sexuality diverse' is an imperfect and broad term used to describe people who are asexual, same-sex attracted or attracted to more than one sex. Young people having these experiences may identify with labels such as lesbian, gay, bisexual, pansexual (i.e. being attracted to people of all genders), asexual (i.e. not experiencing/rarely experiencing sexual attraction), queer (this term can reflect a range of sexual and gender identities) and those who are unsure (i.e. questioning).¹ Conversely, they may not identify with any of these labels. Sexual identity is different to gender identity (i.e. our sense of our self when it comes to being male, female, non-binary, masculine or feminine). Some young people who identify as sexuality diverse also identify as gender diverse (e.g. transgender, intersex or genderqueer).

This resource does not focus on issues unique to these groups. For more information, see: minus18.org.au, ygender.org.au, genderqueer.org.au and trans101.org.au.

Between 2% and 12% of young people identify as sexuality diverse;² over half do so before high school.³ The age that young people recognise, accept and disclose their sexual orientation to others (i.e. 'come out' or 'invite in') seems to be decreasing.⁴ The coming out/inviting in process is complex: it is not a 'one-off event' or something that naturally progresses from one step to another. For example, a young person may share their sexuality with others before accepting their own identity internally. It is an ongoing process (e.g. every time a young person starts a new job, meets someone new, etc.) and is influenced by the young person's feelings of safety in different domains (e.g. school, home, online).



In Australia, it is illegal to not provide inclusive services for sexuality diverse young people

* Young people who identify as queer, asexual, pansexual and questioning are under-represented in studies examining these issues.

Why we need to create safe and inclusive services for sexuality diverse young people

In Australia, it is illegal to not provide inclusive services for sexuality diverse young people.⁵

Sexuality diverse young people face additional barriers to accessing mental health services compared to their heterosexual peers⁶ and may only seek mental health support when they are no longer able to cope with their distress.⁷ These barriers include heterosexual assumption, 'outing', fear of harassment, lack of accurate information about sexuality diversity, not wanting parents to find out and fear of what the doctor might say or do.⁶ Facilitators to accessing youth mental healthcare include an increased desire to talk about their health, personal life, friends and substance use.⁸ Research with adults also suggests that having a regular general practitioner (GP) may be helpful in increasing help seeking.⁹

Determining the stage(s) of sexuality formation that a young person is in allows clinicians to be aware of, and help address, unique challenges that may be present for them. Then clinicians can offer the young person another affirming experience of who they are, regardless of where they are at on their journey.

Factors that influence the mental health and wellbeing of sexuality diverse young people

It is important to understand that sexuality diversity is not itself a risk factor for mental health and substance use problems. Rather, stressors commonly experienced by sexuality diverse young people increase their vulnerability.¹⁰⁻¹² This includes higher rates of mental health and substance use disorders,^{13, 14} suicide attempts^{13, 15} and self harm¹⁶ compared to their heterosexual peers. Sexuality diverse young people are also at higher risk of depression, psychological distress, self harm and attempted suicide than any other age cohort of the sexuality diverse community.¹⁷ When sexuality diverse young people are socially supported and free from experiences of discrimination, they experience similar levels of mental wellbeing to their heterosexual peers.¹⁰

Factors that influence the mental health and wellbeing of sexuality diverse young people are discussed next.

Family acceptance and rejection

Support and acceptance from family is a key protective factor for young people. Family acceptance of sexuality diversity predicts greater self-esteem, social support and general health.¹⁸ It also protects against depression, substance abuse and suicidal ideation and attempts.¹⁸ Family connectedness is also a protective factor against suicide in lesbian, gay and bisexual (LGB) young people.¹⁹ LGB young people who are rejected/excluded by their families are at higher risk of homelessness, depression, substance use and suicidality.²⁰⁻²⁴

Social support

Social support can reduce the negative psychological outcomes and elevated risk of suicide, victimisation and school avoidance experienced by sexuality diverse young people.^{25, 26} This includes specific support affirming one's sexuality,²⁵ being connected to the sexuality diverse community,²⁷⁻²⁹ retaining friendships,³⁰ having adult support within the school community,^{31, 32} having the support of adults more broadly¹⁹ and having a positive school environment (including anti-bullying policies promoting sexuality inclusivity).^{3, 10, 33} In one large study, when LGB students experienced a positive school environment, free from homophobic and biphobic harassment, their mental health, substance use and truancy outcomes were comparable to their heterosexual peers.¹⁰

Homophobia and biphobia

Homophobia describes prejudice against people based on their actual or perceived sexuality (e.g. verbal abuse, social exclusion, humiliation, rumours, threats and physical violence). Biphobia refers more specifically to prejudice related to actual or perceived bisexuality. While most of the relevant research has focused specifically on the impacts of experiencing homophobia, the same adverse impacts would be expected among young people experiencing biphobia.

In Australia, sexuality diverse young people experience high levels of verbal and physical homophobic abuse, particularly at school but also in the street, at work and at social occasions.³ Experiencing homophobia or biphobia is a risk factor for depression, substance abuse, suicidal behaviour and self harm.^{20, 34, 35} Experiencing bullying and feeling unsafe at school is also associated with school avoidance, academic difficulties and school dropout.^{3, 10, 36} High levels of prejudice and a lack of inclusivity and support within the wider community are also associated with poorer outcomes.^{37, 38} This was the case, for example, for sexuality diverse people living in areas that had a higher percentage of people who voted 'no' in the 2017 Australian Marriage Law Postal Survey.³⁷

Internalised heteronormativity

Heteronormativity or heterosexism is the belief that everyone is, or should be, heterosexual, and that other types of sexuality are unhealthy, unnatural and/or a threat to society. It is not something that young people spontaneously believe, rather it relates to pervasive social and cultural pressure

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people

and assumptions about sexuality. Living in a world that tells young people that their identities and desires are ‘abnormal’, ‘immoral’ or a ‘mental problem’, which need to be ‘fixed’, can lead to internalisation or normalisation of these beliefs (i.e. internalised heteronormativity). This is a strong risk factor for depression, anxiety and relationship problems^{20, 39–41} and determines (at least in part) the extent to which mental health difficulties develop as a result of a young person experiencing victimisation, religious stress and/or family rejection related to their sexuality.^{41, 42} Experiencing positive thoughts and feelings about one’s sexuality, and rejecting negative stereotypes, are protective factors for mental health and social outcomes.^{20, 29, 43}

Concealing/managing sexuality

Many young people decide to conceal their sexuality to prevent damaging relationships and experiences of rejection or abuse.⁴⁴ Managing sexuality across multiple domains (i.e. ‘coming out’ in certain domains such as school, home or online but not others) has been linked to a higher risk of suicidality.³⁴

Coping strategies and substance use

When experiencing multiple adversities, any young person’s coping mechanisms can easily become overwhelmed. Emotional regulation difficulties (e.g. rumination, emotional suppression) and maladaptive coping strategies (e.g. avoidance) seem to play a causal role in the relationship between stigma and psychological distress, substance use and poor mental health among sexuality diverse young people.^{20, 35, 45} LGB young people – particularly females – use alcohol and other drugs at higher rates compared to heterosexual young people.^{3, 46, 47} There is a link between substance use and experiences of homophobia and discrimination;⁴⁶ many LGB young people report their use being a coping strategy.³ Gay bars and clubs have traditionally been places where sexuality diverse people can socialise and feel safe. Such settings may have a focus on substance use, and normalise its use.⁴⁸ A lack of LGB competency among health services discourages help-seeking for substance use issues.⁴⁸

Living in rural communities

Rates of self harm and suicidal ideation and attempts are higher among LGBQ (lesbian, gay, bisexual, queer and questioning) young people living in rural areas compared to those living in urban areas.³ These young people are less likely to feel safe at school and social occasions, and on the internet, than their sexuality diverse peers in urban areas.³ Sexuality diverse people in rural–remote towns experience higher levels of minority stress, are more likely to conceal their sexuality from friends and be less involved with the LGBQ community compared to those in inner-metropolitan areas.⁴⁹ Specific services for sexuality diverse young people are difficult to access in rural areas, if they exist at all, and concerns about maintaining privacy when accessing services are exacerbated.³ All of these factors can lead to increased isolation.

Cultural and Linguistic Diversity (CALD), including religious diversity

There is some evidence of additional challenges and a cumulative risk of mental health difficulties for sexuality diverse young people from CALD and religious backgrounds, in light of their management of multiple marginalised identities.^{4, 50} The ethnicity of a sexuality diverse young person may also influence their integration into the LGBQ community.⁵¹

Participation in CALD and religious communities and their practices can be a source of strength for some sexuality diverse people.⁵¹ But experiencing rejection from one’s cultural or religious community, and internal conflict due to negative cultural or religious beliefs about diverse sexualities, contribute to negative outcomes for young people – including an increased risk of suicidal ideation and self harm.^{3, 41} This higher risk among young people from religious backgrounds is influenced by an increased likelihood of experiencing other adversities (social exclusion, homophobic abuse from friends and family, not being supported by others when disclosing their sexuality and feeling unsafe at home).³

Bisexual and queer identities

Bisexuality is a sexual identity in itself and does not mean that a person is questioning or in a transitional state between heterosexual and same-sex attracted. Bisexual young people may experience negative attitudes from both heteronormative society and gay and lesbian sub-cultures,^{52, 53} identity formation may be more complex⁵⁴ and ‘coming out’ may be more stressful.⁵⁵ Within the sexuality diverse community, young women identifying as queer are at particularly high risk of experiencing discrimination, sexual coercion and illicit drug use.⁵⁶ However, they also demonstrate particular strengths, including higher levels of community connection and accessing counselling.⁵⁶

Questioning identity

Young people who are questioning their sexual orientation report the highest rates of bullying, victimisation, dating violence, substance use, truancy, depression and suicidality compared to their heterosexual and LGB peers.^{10, 47}

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people

Ensuring inclusion at a service-level

As in all areas of practice, services should promote a safe and inclusive space where a young person feels comfortable enough to discuss sexuality, sex and relationships of all kinds. All services working with young people should be affirming of diverse sexualities by:

- embedding inclusive practices into organisational policies and procedures. This includes ensuring staff have adequate professional development (e.g. mandatory training on sexuality inclusive practice). Training can enhance confidence in delivering a high quality of care^{57, 58}
- visually promoting the service as a safe and supportive environment for sexuality diverse young people (e.g. displaying words, images or symbols that include or represent the LGBTQ community, such as the rainbow flag)
- consulting or partnering with relevant organisations, such as Rainbow Network (Victoria), to strengthen relationships, and facilitate referrals and coordinated care
- consider The Rainbow Tick LGBTI-inclusive practice standards and service accreditation (see Further resources)
- involving LGBTQ young people in service planning processes.

Ensuring inclusion at a clinician-level

Facilitate discussion of sexuality

It is always the young person's choice whether or not to disclose their sexuality. Routinely asking about sexuality helps to provide an environment that conveys inclusion and safety, and facilitates disclosure.

It is important to:

- make it clear that you work in an inclusive way (e.g.: 'At our service, we routinely ask people about their sexual identity, behaviour and attraction.')
- use gender-neutral language, especially when first asking about relationships (e.g.: 'Are you seeing anyone?')
- use terms that are respectful and consistent with the young person's self-understanding and ask what term/s they prefer
- respond respectfully when a young person opens up about their sexuality (i.e. don't make a big deal of it). If the young person is clearly struggling to do so, responding positively can be helpful (e.g.: 'Thanks for sharing that with me.')
- invite the young person to tell you more about their experiences of and around their sexuality (both positive and negative). Don't assume that being sexuality diverse is problematic or the presenting issue.



I talk to every young person I see about attraction, sexual identity, behaviour and relationships, no matter what their age, culture or ethnicity. Even for young people who identify as heterosexual, it can be a useful opportunity to openly talk about these issues.

Clinician

Provide a safe and confidential space

It is important to:

- address any concerns as part of your routine discussion about confidentiality
- give as much ownership as possible to the young person of how information relating to their sexuality is managed (e.g.: 'Is it okay for me to include this in your medical file or would you rather I didn't?') Explicitly talk to them about how information is recorded in My Health Record and what their choices are avoid 'outing' a young person accidentally (e.g. to their family, peers, school, within your service). Doing so may be detrimental to a young person's wellbeing and may jeopardise their safety.



Ask questions, be curious and guided by the young person – listen to them. Everyone's story, needs and circumstances are different.

Clinician

Assess and manage risk of harm

It is important to:

- always consider the young person's safety and assess their risk of harm (to self and from others), especially during particularly vulnerable times (e.g. when 'coming out' or questioning their sexuality)
- be proactive in creating a safe space to talk more specifically about dating, sex, safety and consent. Sexuality diverse young people may have less access to safe spaces for sexual exploration and information about relationships/ dating and may be at higher risk of experiencing sexual coercion and dating violence, particularly those who identify as questioning, bisexual or queer.^{47, 56}

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people

Support identity development and coming out/inviting in

Explain that one of a young person's main developmental jobs is figuring out their identity. It is okay to do things at their own pace, they do not need to come out/invite others in – their personal information and choices are their own.

While sharing their sexual identity with others can be beneficial, the potential risks it may pose also need to be considered. This is particularly the case for young people who are living with family who may not be supportive, and/or whose culture or religion rejects their identity. It may be more effective for individuals dealing with these issues to address their own feelings and develop an affirmative support group prior to disclosing their sexuality. This may involve identifying one or two supportive people in their lives to come out to/invite in first, in the hope of building a support network they can leverage if they decide to do so more broadly.⁴ Linking a young person in with an LGBQ support group may also be helpful.

Build support networks

If a young person is seeking support around issues relating to their sexual identity, facilitate access to positive discourse about sexuality diversity. Provide information on resources in the community (online and offline), and support the young person to develop LGBQ-affirming friendships, role models and support groups.⁵⁹



It is so important not to out a young person, especially to family, when they are not ready. The choice is ultimately up to the young person of when/where/who/how to come out.

Young person

Address internalised heterosexism

It can be beneficial to:

- explore the ways internalised heterosexism may have contributed to the young person feeling negative or ambivalent about their sexuality, and provide an affirmative environment in which to work through these feelings
- emphasise acceptance, identity exploration and de-stigmatisation.⁵⁹

Note: There is no evidence that sexuality can be changed via re-orientation or reparative/conversion therapies, and their use has been thoroughly discredited as ineffective and has been shown to cause harm.⁶⁰



Thinking about who my “intentional family” is has really helped me. People who are my friends (or “family” I have chosen) who I know accept me unconditionally and will always support me.

Young person

Address homophobic/biphobic bullying

It is important to:

- acknowledge that experiencing homophobia or biphobia can be very distressing for a young person
- reframe homophobia or biphobia as a problem within society, rather than in sexuality diversity itself
- support the young person to develop skills and make decisions about the supportiveness of different environments, and the pros and cons of using different ways of dealing with heterosexism in different environments.

If the young person is experiencing homophobia or biphobia at school or home, it may be necessary to take an active role in liaising with a young person's family/carers and/or school to advocate for their needs – with the young person's consent (unless safety concerns warrant breaching confidentiality).

Encourage family acceptance

Identify supportive parental behaviours and consider providing psychoeducation about the risks of family rejection and the positive impact of acceptance. Where this is not practical (for instance, where there is a risk of abuse), focus on assisting the young person to cope with family rejection. Depending on needs, this could include housing and building social supports. For more information, visit the Family Acceptance Project (familyproject.sfsu.edu).

Family therapy interventions and parenting support may be required to assist parents and carers to process their reactions to and accept their child's sexuality diverse identity. It is also useful to support the young person to cope with difficult reactions from their family and to improve communication within the family.²⁰

Consider cultural and religious diversity

Acknowledge the multiple positive and negative influences that cultural and/or religious communities have on sexuality diverse young people. If cultural and/or religious factors seem to be impacting on a young person's sexual identity development, specially tailored resources may be beneficial (e.g. resources for Aboriginal and Torres Strait Islander young people who identify as having diverse sexuality).⁶¹ If religious factors are having a negative impact, consider respectfully

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people

supporting a young person to explore alternative interpretations of religious texts about diverse sexuality, the positives and negatives of continued involvement with non-affirming religious organisations, and locating to alternative religious communities or considering alternatives to organised religion.⁶²⁻⁶⁶

Consider engaging in further training, secondary consultation and using resources and services specifically for young people facing these issues (see Further resources on page 7).⁵⁰

Explore experiences of 'fitting in' within the sexuality diverse community

It is important to:

- consider exploring young people's perceptions of the sexuality diverse community and their experiences and/or thoughts of 'fitting in' and 'coming out' now or in future. Affirm their identity and encourage family support. Parents and carers can play an important role in supporting their young person to navigate 'coming out' to family and friends.⁵⁵
- understand that some sexuality diverse young people experience intersecting marginalised identities and forms of discrimination (e.g. those from CALD backgrounds, those who live with a disability).^{4, 50, 67}

Support emotion regulation and reduced substance use

It may be helpful to explore perceived social norms about substance use within sexuality diverse communities⁴⁶ in addition to targeting other risk factors for substance use (e.g. victimisation, lack of supportive environments, negative disclosure reactions).^{22, 68} Build upon existing coping strategies and work toward improving emotional regulation so that the young person has more internal resources to cope with stigma and discrimination.^{45, 69}

Consider risks for young people who identify as bisexual or queer

Be mindful that bisexual and queer young people are at particularly high risk of experiencing discrimination and negative mental health outcomes.^{13, 14} Exploring their experiences of 'fitting in' within the sexuality diverse community, their feelings about 'coming out' and encouraging parental support is particularly important.⁵⁵



I struggled with queer stereotypes for a long time. Now I know that you don't need to match up to them. You could match completely, a little bit or not at all.

Young person

Consider risks for questioning young people

Similarly, be mindful of the increased risk of victimisation among young people who are questioning their sexual identity.^{10, 47}

Consider advocacy and professional development

Advocate for supportive environments for sexuality diverse young people, both within a service and more broadly (e.g. within disability services, anti-bullying policies in education settings and workplaces, schools and community programs) and for more inclusive laws and policies.⁴ Seek further training and secondary consultation to support clinical practice (e.g. Rainbow Network).

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people



Further resources

For young people

- Minus18 – Australian information and support for young people who identify as LGBTIQ minus18.org.au
- Safe Schools – resources for students studentwellbeinghub.edu.au
- Bisexual Alliance Victoria Inc. – information and support for bisexual people bi-alliance.org
- The Asexual Visibility and Education Network – online community and resources regarding asexuality asexuality.org
- Black Rainbow – LGBTQTI support and suicide prevention for Aboriginal and Torres Strait Islander people blackrainbow.org.au

For family/carers/friends

- PFLAG – information and support for parents, family and friends pflagaustralia.org.au



For services/clinicians

- Rainbow Network (Victoria) – information and support to provide inclusive services. This includes finding services and resources for CALD people and for those identifying with particular faiths, spirituality or religion rainbownetwork.com.au
- Beyondblue – a resource for working therapeutically with LGBTI clients beyondblue.org.au
- Australian GLBTIQ Multicultural Council – the peak body for individuals/groups from GLBTI multicultural backgrounds agmc.org.au
- GLHV – information about Rainbow Tick accreditation for LGBTIQ+ services glhv.org.au/lgbti-inclusive-practice
- National LGBTI Health Alliance – resources and links to other training lgbtihealth.org.au
- Health.Vic – information about working inclusively with LGBTI people, including working in a culturally inclusive way with Aboriginal and Torres Strait Islander people health.vic.gov.au

References

1. Robinson K, Bansel P, Denson N, Ovenden G, Davies C. Growing up queer: issues facing young Australians who are gender variant and sexuality diverse. Melbourne: Young and Well Cooperative Research Centre; 2014.
2. Lucassen M, Stasiak K, Samra R, Frampton C, Merry S. Sexual minority youth and depressive symptoms or depressive disorder: a systematic review and meta-analysis of population-based studies. *Aust N Z J Psychiatry*. 2017;51(8):774-87.
3. Hillier L, Jones T, Monagle M, Overton N, Gahan L, Blackman J, et al. Writing themselves in 3: the third national study on the sexual health and wellbeing of same sex attracted and gender questioning young people. Melbourne: Australian Research Centre in Sex, Health and Society, La Trobe University; 2010.
4. Russell S, Fish J. Mental health in lesbian, gay, bisexual, and transgender (LGBT) youth. *Annu Rev Clin Psychol*. 2016;12:465-87.
5. Sex Discrimination Amendment (Sexual Orientation, Gender Identity and Intersex Status) Act 2013 (Cwlth).
6. Brown A, Rice SM, Rickwood DJ, Parker AG. Systematic review of barriers and facilitators to accessing and engaging with mental health care among at-risk young people. *Asia Pac Psychiat*. 2016;8(1):3-22.
7. McDermott E, Hughes E, Rawlings V. Norms and normalisation: understanding lesbian, gay, bisexual, transgender and queer youth, suicidality and help-seeking. *Cult Health Sex*. 2018;20(2):156-72.
8. Cniro D, Surko M, Bhandarkar K, Helfgott N, Peake K, Epstein I. Lesbian, gay, bisexual, sexual-orientation questioning adolescents seeking mental health services: risk factors, worries, and desire to talk about them. *Soc Work Ment Health*. 2005;3(3):213-34.
9. McNair R, Pennay A, Hughes TL, Love S, Valpied J, Lubman DI. Health service use by same-sex attracted Australian women for alcohol and mental health issues: a cross-sectional study. *Br J Gen Pract*. 2018;[epub ahead of print] DOI: 10.3399/bjgpopen18X101565.
10. Birkett M, Espelage DL, Koenig B. LGB and questioning students in schools: the moderating effects of homophobic bullying and school climate on negative outcomes. *J Youth Adolesc*. 2009;38(7):989-1000.
11. Meyer IH. Prejudice, social stress, and mental health in lesbian, gay, and bisexual populations: conceptual issues and research evidence. *Psychol Bull*. 2003;129(5):674-97.
12. Valdiserri RO, Holtgrave DR, Poteat TC, Beyrer C. Unraveling health disparities among sexual and gender minorities: a commentary on the persistent impact of stigma. *J Homosex*. 2019;66(5):571-589
13. Marshal MP, Dietz LJ, Friedman MS, Stall R, Smith HA, McGinley J, et al. Suicidality and depression disparities between sexual minority and heterosexual youth: a meta-analytic review. *J Adolesc Health*. 2011;49(2):115-23.
14. Marshal MP, Friedman MS, Stall R, King KM, Miles J, Gold MA, et al. Sexual orientation and adolescent substance use: a meta-analysis and methodological review. *Addiction*. 2008;103(4):546-56.
15. Miranda-Mendizabal A, Castellvi P, Pares-Badell O, Almenara J, Alonso I, Blasco M, et al. Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. *Br J Psychiatry*. 2017;211(2):77-87.
16. Skegg K, Nada-Raja S, Dickson N, Paul C, Williams S. Sexual orientation and self-harm in men and women. *Am J Psychiatry*. 2003;160(3):541-6.
17. Leonard W, Pitts, M, Mitchell, A, Lyons, A, Smith, A, Patel, S, Couch, M, Barrett, A. Private lives 2: the second national survey of the health and wellbeing of gay, lesbian, bisexual and transgender (GLBT) Australians. Monograph Series Number 86. Melbourne: The Australian

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people

- Research Centre in Sex, Health & Society, La Trobe University; 2012.
18. Ryan C, Russell ST, Huebner D, Diaz R, Sanchez J. Family acceptance in adolescence and the health of LGBT young adults. *J Child Adolesc Psychiatr Nurs*. 2010;23(4):205-13.
 19. Eisenberg ME, Resnick MD. Suicidality among gay, lesbian and bisexual youth: the role of protective factors. *J Adolesc Health*. 2006;39(5):662-8.
 20. Hall WJ. Psychosocial risk and protective factors for depression among lesbian, gay, bisexual, and queer youth: a systematic review. *J Homosex*. 2018;65(3):263-316.
 21. D'Augelli AR, Hershberger SL, Pilkington NW. Suicidality patterns and sexual orientation-related factors among lesbian, gay, and bisexual youths. *Suicide Life Threat Behav*. 2001;31(3):250-64.
 22. Goldbach JT, Tanner-Smith EE, Bagwell M, Dunlap S. Minority stress and substance use in sexual minority adolescents: a meta-analysis. *Prev Sci*. 2014;15(3):350-63.
 23. Ryan C, Huebner D, Diaz RM, Sanchez J. Family rejection as a predictor of negative health outcomes in white and Latino lesbian, gay, and bisexual young adults. *Pediatrics*. 2009;123(1):346-52.
 24. Durso LE, Gates GJ. *Serving our youth: findings from a national survey of services providers working with lesbian, gay, bisexual and transgender youth who are homeless or at risk of becoming homeless*. Los Angeles: The Williams Institute with True Colors Fund and The Palette Fund; 2012.
 25. Doty ND, Willoughby BL, Lindahl KM, Malik NM. Sexuality related social support among lesbian, gay, and bisexual youth. *J Youth Adolesc*. 2010;39(10):1134-47.
 26. Kwon P. Resilience in lesbian, gay, and bisexual individuals. *Pers Soc Psychol Rev*. 2013;17(4):371-83.
 27. Riggle ED, Whitman JS, Olson A, Rostosky SS, Strong S. The positive aspects of being a lesbian or gay man. *Prof Psychol Res Pr*. 2008;39(2):210-7.
 28. Nesmith AA, Burton DL, Cosgrove TJ. Gay, lesbian, and bisexual youth and young adults: social support in their own words. *J Homosex*. 1999;37(1):95-108.
 29. Kertzner RM, Meyer IH, Frost DM, Stirratt MJ. Social and psychological well-being in lesbians, gay men, and bisexuals: the effects of race, gender, age, and sexual identity. *Am J Orthopsychiatry*. 2009;79(4):500-10.
 30. D'Augelli AR. Lesbian and bisexual female youths aged 14 to 21: developmental challenges and victimization experiences. *J Lesbian Stud*. 2003;7(4):9-29.
 31. Seil KS, Desai MM, Smith MV. Sexual orientation, adult connectedness, substance use, and mental health outcomes among adolescents: findings from the 2009 New York City Youth Risk Behavior Survey. *Am J Public Health*. 2014;104(10):1950-6.
 32. Darwich L, Hymel S, Waterhouse T. School avoidance and substance use among lesbian, gay, bisexual, and questioning youths: the impact of peer victimization and adult support. *J Educ Psychol*. 2012;104(2):381-92.
 33. Hatzenbuehler ML, Keyes KM. Inclusive anti-bullying policies and reduced risk of suicide attempts in lesbian and gay youth. *J Adolesc Health*. 2013;53(1):S21-S6.
 34. McDermott E, Hughes E, Rawlings V. The social determinants of lesbian, gay, bisexual and transgender youth suicidality in England: a mixed methods study. *J Public Health* 2018;40(3):e244-e51.
 35. Rogers A, Seager I, Haines N, Hahn H, Aldao A, Ahn W. The indirect effect of emotion regulation on minority stress and problematic substance use in lesbian, gay, and bisexual individuals. *Front Psychol*. 2017;8:1881.
 36. Kosciw J, Greytak E, NM G, Villenas C, DJ D. *The 2015 National School Climate Survey: the experiences of lesbian, gay, bisexual, transgender, and queer youth in our nation's schools*. New York: GLSEN; 2016.
 37. Perales F, Todd A. Structural stigma and the health and wellbeing of Australian LGB populations: exploiting geographic variation in the results of the 2017 same-sex marriage plebiscite. *Soc Sci Med*. 2018;208:190-9.
 38. Hatzenbuehler ML, Bellatorre A, Lee Y, Finch BK, Muennig P, Fiscella K. Structural stigma and all-cause mortality in sexual minority populations. *Soc Sci Med*. 2014;103:33-41.
 39. Frost DM, Meyer IH. Internalized homophobia and relationship quality among lesbians, gay men, and bisexuals. *J Couns Psychol*. 2009;56(1):97-109.
 40. Newcomb ME, Mustanski B. Internalized homophobia and internalizing mental health problems: a meta-analytic review. *Clin Psychol Rev*. 2010;30(8):1019-29.
 41. Page MJ, Lindahl KM, Malik NM. The role of religion and stress in sexual identity and mental health among lesbian, gay, and bisexual youth. *J Res Adolesc*. 2013;23(4):665-77.
 42. Willoughby BL, Doty ND, Malik NM. Victimization, family rejection, and outcomes of gay, lesbian, and bisexual young people: the role of negative GLB identity. *J GLBT Fam Stud*. 2010;6(4):403-24.
 43. Luhtanen RK. Identity, stigma management, and well-being: a comparison of lesbians/bisexual women and gay/bisexual men. *J Lesbian Stud*. 2002;7(1):85-100.
 44. D'Augelli AR, Grossman AH, Starks MT. Parents' awareness of lesbian, gay, and bisexual youths' sexual orientation. *J Marriage Fam*. 2005;67(2):474-82.
 45. Hatzenbuehler ML, Nolen-Hoeksema S, Dovidio J. How does stigma "get under the skin"? The mediating role of emotion regulation. *Psychol Sci*. 2009;20(10):1282-9.
 46. Kelly J, Davis C, Schlesinger C. Substance use by same sex attracted young people: prevalence, perceptions and homophobia. *Drug Alcohol Rev*. 2015;34(4):358-65.
 47. Kann L, O'Malley Olsen E, McManus T, Harris WA, Shanklin SL, Flint KH, et al. Morbidity and mortality weekly report: sexual identity, sex of sexual contacts, and health-related behaviors among students in grades 9–12 – United States and selected sites, 2015. *Surveill Summ*. 2016;65(9):1-202.
 48. Emslie C, Lennox J, Ireland L. The social context of LGBT people's drinking in Scotland. Glasgow: Scottish Health Action on Alcohol Problems (SHAAP); Glasgow Caledonian University; 2015.
 49. Morandini JS, Blaszczyński A, Dar-Nimrod I, Ross MW. Minority stress and community connectedness among gay, lesbian and bisexual Australians: a comparison of rural and metropolitan localities. *Aust NZ J Publ Heal*. 2015;39(3):260-6.
 50. Pallotta-Chiarolli M. *Supporting same-sex attracted and gender diverse young people of multicultural and multifait backgrounds: executive summary and full research report*. Melbourne: Equality Branch of the Department of Premier and Cabinet; 2016.
 51. O'Donnell M, Taylor B. *Working therapeutically with LGBTI clients: a practice wisdom resource*. Sydney: National LGBTI Health Alliance; 2014.
 52. Klesse C. Shady characters, untrustworthy partners, and promiscuous sluts: creating bisexual intimacies in the face of heteronormativity and biphobia. *J Bisex*. 2011;11(2-3):227-44.
 53. McLean K. Inside, outside, nowhere: bisexual men and women in the gay and lesbian community. *J Bisex*. 2008;8(1-2):63-80.
 54. Bradford M. The bisexual experience. *J Bisex*. 2004;4(1-2):7-23.
 55. Pollitt A, Muraco J, Grossman A, Russell S. Disclosure stress, social support, and depressive symptoms among cisgender bisexual youth. *J Marriage Fam*. 2017;79(5):1278-94.
 56. Germanos R, Deacon R, Mooney-Somers J. The social and cultural significance of women's sexual identities should guide health promotion. *LGBT Health*. 2015;2(2):162-8.
 57. Hughes E, Rawlings V, McDermott E. Mental health staff perceptions and practice regarding self-harm, suicidality and help-seeking in LGBTQ youth: findings from a cross-sectional survey in the UK. *Issues Ment Health Nurs*. 2018;39(1):30-6.
 58. Lelutiu-Weinberger C, Pachankis JE. Acceptability and preliminary efficacy of a lesbian, gay, bisexual, and transgender-affirmative mental health practice training in a highly stigmatizing national context. *LGBT Health*. 2017;4(5):360-70.
 59. Kashubeck-West S, Szymanski D, Meyer J. Internalized heterosexism: clinical implications and training considerations. *Couns Psychol*. 2008;36(4):615-30.
 60. Australian Psychological Society. *APS position statement on the use of psychological practices that attempt to change sexual orientation*. Melbourne: APS; 2015.
 61. Department of Health and Human Services. *Working with LGBTI*

headspace evidence to practice

Working safely and inclusively with sexuality diverse young people

- Aboriginal people. Melbourne: Victoria State Government; 2018. Available from: <https://www2.health.vic.gov.au/about/populations/lgbti-health/rainbow-equality/working-with-specific-groups/working-with-lgbti-aboriginal-people>.
62. Bozard RL, Sanders CJ. Helping Christian lesbian, gay, and bisexual clients recover religion as a source of strength: developing a model for assessment and integration of religious identity in counseling. *J LGBT Issues Couns.* 2011;5(1):47-74.
 63. Kocet MM, Sanabria S, Smith MR. Finding the spirit within: religion, spirituality, and faith development in lesbian, gay, and bisexual individuals. *J LGBT Issues Couns.* 2011;5(3-4):163-79.
 64. Kubicek K, McDavitt B, Carpineto J, Weiss G, Iverson EF, Kipke MD. "God made me gay for a reason" young men who have sex with men's resiliency in resolving internalized homophobia from religious sources. *J Adolesc Res.* 2009;24(5):601-33.
 65. Schuck KD, Liddle BJ. Religious conflicts experienced by lesbian, gay, and bisexual individuals. *J Gay Lesb Psychother.* 2001;5(2):63-82.
 66. Super JT, Jacobson L. Religious abuse: implications for counseling lesbian, gay, bisexual, and transgender individuals. *J LGBT Issues Couns.* 2011;5(3-4):180-96.
 67. Leonard W, Mann, R. The everyday experience of lesbian, gay, bisexual, transgender and intersex (LGBTI) people living with disability. Report No.: 111. Melbourne: GLHV, The Australian Research Centre in Sex, Health & Society, La Trobe University; 2018.
 68. Coulter RW, Bersamin M, Russell ST, Mair C. The effects of gender- and sexuality- based harassment on lesbian, gay, bisexual, and transgender substance use disparities. *J Adolesc Health.* 2017.
 69. Smith NG, Hart TA, Kidwai A, Vernon JR, Blais M, Adam B. Results of a pilot study to ameliorate psychological and behavioral outcomes of minority stress among young gay and bisexual men. *Behav Ther.* 2017;48(5):664-77.

Authors

Alicia Randell

Dr Faye Scanlan

Expert Consultants

A/Prof Ruth McNair

Department of General Practice, University of Melbourne

Jami Jones

Rainbow Network, La Trobe University

Vikki Ryall

headspace National Youth Mental Health Foundation

Youth Advisor

Nicholas Ford

Acknowledgements

headspace Evidence to Practice resources are prepared by the Centre of Excellence program provided by Orygen, The National Centre of Excellence in Youth Mental Health, to headspace National Youth Mental Health Foundation, and funded by the Australian Government Department of Health. The series aims to highlight for service providers the research evidence and best practices for the care of young people with mental health and substance abuse problems. The content is based on the best available evidence that has been appraised for quality. This resource was updated in 2018. Experts on the topic have reviewed the summary before publication. The authors would like to thank all consultants for their input on this resource.

Disclaimer

This information is not medical advice. It is generic and does not take into account your personal circumstances, physical wellbeing, mental status or mental requirements. Do not use this information to treat or diagnose your own or another person's medical condition and never ignore medical advice or delay seeking it because of something in this information. Any medical questions should be referred to a qualified healthcare professional. If in doubt, please always seek medical advice.

Suggested citation: Version 2.0. Randell A, Scanlan F. Evidence to Practice: working safely and inclusively with sexuality diverse young people [Internet]. 2nd Version. Orygen, The National Centre of Excellence in Youth Mental Health (AU); 2019. Available from: headspace.org.au.

Previous versions Version 1.0 (No longer available). Stephens, J, Bailey A, Parker A. Evidence Summary: working with same sex attracted young people – Inclusive practice [Internet]. Orygen, The National Centre of Excellence in Youth Mental Health (AU); 2013 [cited 2018 August 14].

Date Approved: Nov 2018



headspace would like to acknowledge Aboriginal and Torres Strait Islander peoples as Australia's First People and Traditional Custodians. We value their cultures, identities, and continuing connection to country, waters, kin and community. We pay our respects to Elders past and present and are committed to making a positive contribution to the wellbeing of Aboriginal and Torres Strait Islander young people, by providing services that are welcoming, safe, culturally appropriate and inclusive.



headspace is committed to embracing diversity and eliminating all forms of discrimination in the provision of health services. headspace welcomes all people irrespective of ethnicity, lifestyle choice, faith, sexual orientation and gender identity.



headspace centres and services operate across Australia, in metro, regional and rural areas, supporting young Australians and their families to be mentally healthy and engaged in their communities.

**For more details about headspace
visit [headspace.org.au](https://www.headspace.org.au)**

headspace National Office

p +61 3 9027 0100

f +61 3 9027 0199

info@headspace.org.au



headspace
National Youth Mental Health Foundation

headspace National Youth Mental Health Foundation is funded by the Australian Government Department of Health

Copyright © 2019 Orygen, The National Centre of Excellence in Youth Mental Health
This work is copyrighted. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced without prior written permission from Orygen.